

HypermiX[®]

MADE IN ITALY



Training

FOR VETERINARY USE



What is Hypermix?

艾樂寶一種全天然有機從印楝油和金絲桃花蕊透過醫療生技植萃活性酵素和數百種的成分研發、生產和混合技術協同而成的多效合一自癒性強的天然產品,能有效幫助獸醫師快速治療多數傷口問題。

透過中西方文獻顯示這兩種天然植物具有廣譜的抑菌效果並且對於廣泛的皮膚問題具有非常好的舒緩、保濕、抗發炎、自溶清創和刺激組織增生及再生的療效,避免組織過度增生和癍痕疙瘩的形成!

產品原料印楝油和金絲桃花來自有機認證的農場且每批原料皆通過安全性檢測確保其有效成分得到控制且不含農藥和重金屬及任何有害物質!



Products

專業人員



100ml油劑/單瓶裝(附滴頭)



200ml 凝膠/罐裝



10X10cm 凝膠紗布/15片裝

一般民眾



5ml油劑/單支裝



30ml 凝膠/單包裝



10X10cm 凝膠紗布/15片裝

油劑

成分濃度較高主要用於較深層或感染及壞死傷口上，特別是在分泌物較多、急性發炎的階段!

軟膏

使用於組織增生和重新上皮的階段或是分泌物較少的乾性傷口上，具有良好的保濕及再生和舒緩鎮靜的效果!

Feature of Hypermix

- 一. 多功能性產品：
艾樂寶萃取來自印楝樹果實和金絲桃花蕊兩種植物中的"活性酵素"
經過研究其治療效果有如藥物,可用於治療傷口的任何階段
(清潔期, 肉芽生長期, 重新上皮期)。
- 二. 自愈性強產品：
具有廣泛的抗菌功能無需使用破壞組織的殺菌劑(含碘、氯、過氧化氫等)
不破壞肉芽組織具有消炎、消腫、和舒緩的作用改善微血管循環!
- 三. 啟動自溶性清創減少滲液和去除纖維蛋白和組織壞死。
- 四. 安全性測試：
產品通過ISO 10993生物相容性和穩定性及安全性測試。印楝油和金
絲桃花來自有機認證的農場且每批原料皆通過安全性檢測確保其不含
農藥和重金屬及有害物質。
- 五. 治癒時間：
特殊的組織再生能力若與常規療法相比, 較能大幅地縮短療程,
降低治療費用。
- 六. 具有預防功效：
可以在皮膚出現發紅跡象時預防組織受損。
- 七. 舒緩鎮靜減少疼痛有助皮膚恢復彈性。
- 八. 防止和減少疤痕疙瘩形成, 有助重新上皮和優質疤痕的形成。

Indications

慢性和感染性傷口

創傷、壓褥瘡、燒燙傷

皮膚感染、敏感

濕疹、耳血腫、黴菌病、皮膚炎

靜脈血管舒緩、鎮靜

肛門炎、痔瘡

口腔黏膜病症

牙齒、牙齦發炎

How to use

視傷口情況如需要可先使用生理食鹽清洗傷口，如傷口上有異物請先使用物理方式清除。任何殺菌劑都是不建議使用的會影響產品效果！

視患部情況在傷口上薄塗油劑或凝膠並覆蓋和固定紗布於傷口上。每天至少重複使用艾樂寶1~2次直至恢復。

更多的使用方式 請參考：www.hypermix.it/en/ 、 www.rimos.com/en/

滅菌檢測



測試結果：

菌種名稱	ATCC 編號	原液滴量 (CFU/mL)	培養時間	產品件原液之菌量 (CFU/mL)	滅菌率 (%)
綠膿桿菌 (<i>Pseudomonas aeruginosa</i>)	9027	5.0 × 10 ⁶	8 小時	<1	>99.9

綠膿桿菌檢測

滅菌率大於99.9%

About RI.MOS.

RI.MOS.創立於1988年，工廠位於義大利北部的醫療生技重鎮Mirandola，以製造婦科相關高端器械和皮膚創傷自然療法為主，並於2005年取得hypermix的萃取專利，2009年開始在義大利和國際市場銷售，目前外銷全球超過90個國家。





臨床實例

WOUND HEALING TREATMENT



6 FEBRUARY

13 FEBRUARY

16 FEBRUARY

20 APRIL

18 MAY

2 JUNE

HORSE, 7 years old
LACERATED AND CONTUSED WOUND

Traumatic lesion on horse right hindquarter

Course: 5 months

HORSES & DONKEYS




Conventional suturing procedure started on April 6th, 2010. Further to failure of surgical reconstruction, HYPERMIX treatment started 15 days after the trauma.



Day 9



Day 15



Day 24



Day 24



After 2 months

PAIANKA HORSE WOUND TO LEFT TIBIA

Course: 40 days

HORSES & DONKEYS



2 November: Hypermix cream/gel application and Hypemix gauzes



7 November



16 November



26 November

Courtesy of: Roberto Dr. Valli



1 week after the operation



2 weeks after the operation



4 weeks



5 weeks



2 months after the operation

**Lacerated wound on hip and on elbow due to a crash trauma.
Half- breded dog , 15 years old.
Course: 56 days**



After 1 week



After 2 weeks



After 5 weeks



After 6 weeks



After 8 weeks

DOG (WHITE BOXER), 3 years old WOUNDS TO POSTERIO LEGS



Hot spot Day 0



Day 3



Day 5



Day 7



Day 10



Day 30



Day 45

Courtesy of: Gianluca Dr. Brafa


FRENCH BOULDOGUE, FEMALE, 2 years old BURN



Day 6



Day 18



Day 25



35" GIORNI

Courtesy of: Gianluca Dr. Brafa

MONGREL DOG, FEMALE

MASTOCYTOMA

Course: 1 month



1 week



2 week



3 week



4 week



5 week

Courtesy of: Ambulatorio Veterinario Associato San Paolo

MONGREL DOG, FEMALE, 3 years old

IATROGENIC ULCER

Course: approx. 1 month



Day 0



Day 2



1 month

Courtesy of: Gianluca Dr. Brafa

EUROPEAN CAT BURN

Course: 1 month



Day0



Day3



Day4



Day6



Day27

Courtesy of: OSPEDALETTO SAN PAOLO

Dwarf rabbit, female, 10 years old

Traumatic wound to lateral cervical region due to cat bite



Day0



Day15



Day30



Day40

Immediate therapy: irrigation with tepid saline. Manual removal of necrotic fragments. **Home therapy:** irrigation with sterile saline, tamponade with absorbent paper, a morning and evening application of Hypermix for 40 days.

**Cat sternum skin wounds due to
vehicle crash trauma.
Latest update dated 23 days ago.**

CATS



Day0



Day4



Day7



Day9



Day11



Day13



Day17



Day19



Day23

BADGER BITE WOUND

Course: approx. 1 month



21 June '14



26 June '14



29 June '14



2 July '14



5 July '14

Courtesy of:

Pier Francesco Milani Responsabile del Centro Fauna Selvatica "Il Pettiroso"
Dr.ssa Enrica Rosti Responsabile Scientifico

Sinusitis combined to necrotic rhinitis with beak's deformation and alteration of the left nostril

AGAPORNIS ROSEICOLLIS Course: 35 days



27 APRIL 2012

Check-up after Hypermix application 2 times per day for 35 days.



15 MAY



2 JUNE

TORTOISE

RAT' S BITES IN PAWS, SEVERE WOUNDS WITH NECROTIC TISSUE AND BONE EXPOSURE

Course: approx. 2 months



17th MARCH after IRUXOL
necrosis and bone exposure still persist



20th MARCH maximum limb reviving after IRUXOL



Tissued revived after HYPERMIX[®]



Necrotic removal after one week
application of HYPERMIX[®]



10th APRIL after HYPERMIX[®]
application:
reviving on the right,
not reviving on the left



4th MAY after 30 day application of
HYPERMIX[®]



23th MAY almost full repaired

Road Rash

Course: 5 weeks



Day 0. Road rash persistent for 60 days due to a wrong therapy with disinfectants based on the iodine.



After 2 weeks



After 3 weeks



After 4 weeks



Healing after 5 weeks

PINCHER, MALE, 4 years old

BITE WOUND



SURGICAL COURETTAGE WITH DRAINAGE



1° LASER APPLICATION + HYPERMIX



2° APPLICATION



5° APPLICATION



11° APPLICATION

Courtesy of:
AMB. VET. ASS. SANTO STEFANO
DEI DOTT. BIONDI S. E MERCURI M.

Lacerated wound on right foreleg. Probable abscess. Course: 2 weeks



Day 0



Day 6

Day 10

Day 15

ROE BITE WOUNDS ON BOTH SIDES Course: 20 days

Procedure:
After the wound' scourettage with saline solution, Hypermix was applied at least once per day without the use of any systemic antibiotic therapy.



30 August '12



1 September '12



10 September '12



19 September '12

Courtesy of:
Pier Francesco Milani Responsabile del Centro Fauna Selvatica "Il Pettiroso"
Dr.ssa Enrica Rosti Responsabile Scientifico

Central bearded dragon (Pogona Vitticeps), male, 2 years old.
Severe III degree burn on the abdomen.

EXOTIC
ANIMALS



Day 0



Day 20



Day 30



Day 60



Day 80



Day 120

Prompt therapy: rest for 3 days, fluid therapy, Marbofloxacin and meloxicam. Treatment with fluid therapy, Marbocyl for 30 days and irrigation with sterile physiological solution. Application of Hypermix twice a day (in the morning and in the evening) for 120 days.

Ferret, Male, 6 months year old **Intestinal coccidiosis**
Serious proctitis with perineum inflammation



**Washing with tepid saline solution 3 times/day
 Hypermix application after every washing and tamponade
 Check-up after 7 days.**



Testudo hermanni boettgeri, female, 15 years old

Traumatic cloacitis (caused by repeated male copulation attempts) complicated by myiasis.

Immediate therapy: irrigation with tepid saline, manual removal of fly larvae and single administration of levamisole IM at 5mg/kg. Home therapy: irrigations with sterile saline, tamponade with absorbent paper, morning and evening application of Hypermix for 21 days. **IMPORTANT!!!** During the therapy the turtle was stabled in the same place where she had contracted the myiasis. (Hypermix was effective to prevent any relapse). Check-up after 15 and 21 days.



TIGER FROM BENGALA:

WOUND DUE TO LAPPING AFTER SURGICAL INTERVENTION

Course: 23 days



07 April 2014



13 April 2014



30 April 2014

Courtesy of: Cavedo Dr.ssa Barbara

PLANTAR ABSCESS (BUMBLEFOOT), FREQUENT REASON OF TRAUMATIC WOUNDS BIRD OF PREY (Buteo buteo) Course: 28 days



Courtesy of:
Pier Francesco Milani Responsabile
del Centro Fauna
Selvatica "Il Pettiroso"
Dott.ssa Rosti Enrica Responsabile
Scientifico Centro Fauna
Selvatica "Il Pettiroso"



3 JANUARY - BEFORE AND AFTER THE COURETTAGE



5 JANUARY



AFTER 28 DAYS

AUSTRALIAN PELICAN: INJURED WING Course: 1 month

Treatment of an injured wing in an Australian Pelican (*Pelecanus conspicillatus*).



Courtesy of:
Zoomarine, Rome, Italy, Veterinary staff.

系列產品介紹

● 手術縫線

針頭特色

特殊塗層能使針頭更為平滑銳利
每一針都鋒銳無比，保持相同穿透力
Trupass coating能在每次穿透時，降低組織傷害
德製高鍛造不鏽鋼300系列製成的針頭，
不易彎曲更為強韌



全世界前四大縫線廠之一
通過FDA、CE、GMP等各項國際認證。

● 手套類



■ 手術手套 ■

■ NBR手套 ■



■ PVC手套 ■



● 空針類



■ 空 針 ■

■ 靜脈留置針 ■



● 敷料類

■ 滅菌紗布 ■ ■ 未消紗布 ■ ■ 棉球 ■ ■ 阻力線紗布 ■



■ 沖洗棉棒 ■ ■ 口腔棉棒 ■ ■ 普通棉棒 ■ ■ ENT棉棒 ■ ■ 3吋棉棒 ■





TEAM POWER

勤達醫療照護用品

總代理:勤達醫療器材股份有限公司
新北市板橋區民生路一段33號22樓之1
02-2950-0388

<https://team-power.com.tw/>



ID:@icare99

僅限專業人士內部教育訓練使用



RI.MOS.

RI. MOS. srl
Via A Manuzio 15,
41037 Mirandola (MO)Italy